

Afrisol Range of Pewter/Jewellery Alloys

Metal Composition (% metal by weight)								
Afrisol	Other	Sn	Sb	Cu	Ag	Bi	Cd	Pb
36/2/2		35.0-37.0	1.9-2.3	0.18	-	-	1.9-2.3	Rem
75/3/1		74.0-76.0	2.9-3.5	0.18	-	-	1.4-1.6	Rem
JM92	J92	91.0-93.0	7.0-8.0	0.9-1.1	-	-	-	-
BG90		89.5-90.5	3.0-5.0	0.3	-	-	-	5.0-5.7
S19	97/3	REM	0.05	2.5-3.5	0.05	0.10	0.005	-
S20		REM	0.10	0.05	3.5-4.0	0.10	0.002	0.1
S18	HT3	REM	4.5-5.5	0.10	0.05	0.10	0.002	0.1
Pewter Foil		95.0	4.0	1.0	-	-	-	-